APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office		
Ret	urned to applicant for correction	
Cor	rected application filed	
Maj	DEC 2 4 1992 under 58426-E	
	TNDEDENDENCE MINING COMPANY INC	
	The applicant INDEPENDENCE MINING COMPANY, INC.	
	HC 31 Box 78 Elko Street and No. or P.O. Box No. City or Town	
*****	Nevada 89801 , hereby makeSapplication for permission to appropriate the public	
	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a	
cop	partnership or association, give names of members.) Incorporated January 26, 1978 in Delaware	
1.	The source of the proposed appropriation is underground (multiple locations) Name of stream, lake, spring, underground or other source	
2	The amount of water applied for in 0.26	
۷.	The amount of water applied for is. One second-foot equals 448.83 gals. per min. Second-feet	
	(a) If stored in reservoir give number of acre-feet.	
3.	The water to be used for environmental, as defined in N.R.S. 533.437 Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.	
4.	If use is for:	
	(a) Irrigation, state number of acres to be irrigated	
	(b) Stockwater, state number and kinds of animals to be watered	
	(c) Other use (describe fully under No. 12. "Remarks"	
	(d) Power:	
	(1) Horsepower developed	
	(2) Point of return of water to stream	
5.	The water is to be diverted from its source at the following point. within Lot 19, Section 4, Describe as being within a 40-acre subdivision of public	
	T. 40N., R. 54E., MDM, (SEE ATTACHED AMENDMENT) survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.	
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.	
6.	Place of use Lots 17, 18, 19, and 20, Section 4, T.40N., R.54E., and all of Describe by legal subdivision. If on unsurveyed land, it should be so stated.	
	Section 33, T.41N., R.54E., MDM.	
7.	Use will begin about	
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and	
	specifications of your diversion or storage works.) small diameter drilled well, schedule 40 PVC casing, with perforations as determined upon analysis, be diverted by divergion storage your determined upon analysis, and depths of less then 240 ft. piping submersible pump, totalizing meter. flumes, drifted well with pump and motor, etc.	

9	each well \$5,000.00 Estimated cost of works
10.	Estimated time required to construct works. If well completed, describe works. and operating, under authority of N.D.E.P.
11.	ten years, or for such Estimated time required to complete the application of water to beneficial use the medical protection and is deemed to be required to accomplish the mention mental protection
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
	These wells are installed for the purpose of ground water remediation, at the direction of the Nevada Division of Environmental Protection, under an order subject of Permit #NEV00020, issued 3/5/91, and are for the prevention of release into natural aquifers of any mill water contaminant. All water obtained under this and companion permits is returned to the mill circuit for re-cycling purposes, lessening the demand of make-up water from the primary supply sources for this milling operation. Estimated annual quantity return pumped into mill tailings pond: 480,000,000 gallons.
	By
Con	mpared ab/ se ab/se Elko, Nevada 89801
Pro	tested
	APPROVAL OF STATE ENGINEER
folk	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the owing limitations and conditions:
pollutotal point reaso water measu grant * deter public	This permit is issued subject to existing rights on the source. It is extood that the amount of water herein granted is only a temporary allowance for ation control as mandated by orders issued by the Nevada Division of commental Protection and subsequent correspondence with said agency. A lizing meter must be installed and maintained in the discharge pipeline near the tof diversion. It is also understood that this right must allow for a comable lowering of the static water level of permittee's well due to other ground or development in the area. The well shall be equipped with a 2-inch opening for uring depth to water. The State retains the right to regulate the use of water ted herein at any and all times. The right will cease to exist upon termination of clean up activity as comined by the Nevada Division of Environmental Protection. This permit does not extend the permittee the right of ingress and egress on inc, private or corporate lands.
	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
exce	cre-feet annually.
Wor	rk must be prosecuted with reasonable diligence and be completed on or before
	of of completion of work shall be filed before
Арр	plication of water to beneficial use shall be filed on or before.
Pro	of of the application of water to beneficial use shall be filed on or before
Мар	p in support of proof of beneficial use shall be filed on or before
Com	IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E. State Engineer of Nevada, have hereunto set my hand and the seal of my
	of of beneficial use filed office, this 21st day of May ,
Cult	ural map filed
	ificate No
cen	State Engineer

Page 2 58432-E

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 39881, Certificate 11893, 42687, 7148, Certificate 13139; 47413, 47414, 48175, Certificate 13143; 54617, 56995-T, 56996-T, 56998-T, 56999-T, 57000-T, 57001-T, 58426-E, 58427-E, 58428-E, 58429-E, 58430-E, 58431-E, 58432-E, 58433-E and 58744-E shall not exceed 5834.9 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

This permit is issued pursuant to the provisions of NRS 533.4375. Well drillers reports for any well(s) drilled under this permit shall be filed within 30 days from the completion of the well.

Within 30 days after the completion of the project, the permittee shall notify the State Engineer of such completion and all wells shall be plugged and abandoned in accordance with Chapter 534 of the Nevada Administrative Code.

Amendment to #5

5. The water is to be diverted from its source at the following points within Lot 19 Section 4, T. 40 N., R. 54 E., MDM, from which the SW corner of Sec. 33, T. 41 N. R. 54 E., bears:

```
N. 66°32' W., 2,775 ft. dist.
N. 63°31' W., 1,945 ft. dist.
N. 62°45' W., 2,407 ft. dist.
N. 68°03' W., 2,940 ft. dist.
N. 64°43' W., 2,594 ft. dist.
N. 62°31' W., 2,209 ft. dist.
N. 64°27' W., 1,795 ft. dist.
N. 65°18' W., 1,671 ft. dist.
                                                                                                                        (DPS-5)
a.)
                                                                                                                        (DPS-3)
b.)
                                                                                                                        (DPS-4)
c.)
                                                                                                                        (DPS-6)
d.)
                                                                                                                        (DPS-4A)
e.)
                                                                                                                        (DPS-3A)
f.)
                                                                                                                        (DPS-2B)
g.)
                                                                                                                        (DPS-2A)
```

ot, ti